

=> file reg; d stat que 14

FILE 'REGISTRY' ENTERED AT 17:29:24 ON 02 JUN 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3

DICTIONARY FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006


Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*
*****
```

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>



VAR G1=AK/13

VAR G2=AK/13/14

VAR G3=O/N

REP G4=(1-20) A

NODE ATTRIBUTES:

CONNECT IS E1 RC AT 14

DEFAULT MLEVEL IS ATOM

GGCAT IS UNS AT 13

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 14

STEREO ATTRIBUTES: NONE

L2 SCR 2040

L4 2675 SEA FILE=REGISTRY SSS FUL L1 AND L2

100.0% PROCESSED 456166 ITERATIONS
SEARCH TIME: 00.00.17

2675 ANSWERS

=> file caplus; d que nos l10; d que nos l12

FILE 'CAPLUS' ENTERED AT 17:29:39 ON 02 JUN 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Jun 2006 VOL 144 ISS 24

FILE LAST UPDATED: 1 Jun 2006 (20060601/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

L1 STR

L2 SCR 2040

L4 2675 SEA FILE=REGISTRY SSS FUL L1 AND L2

L5 2863 SEA FILE=CAPLUS ABB=ON PLU=ON L4

L9 462 SEA FILE=CAPLUS ABB=ON PLU=ON GAS? (3A) HYDRAT? (3A) INHIBIT?

L10 2 SEA FILE=CAPLUS ABB=ON PLU=ON L5 AND L9

L1 STR

L2 SCR 2040

L4 2675 SEA FILE=REGISTRY SSS FUL L1 AND L2

L5 2863 SEA FILE=CAPLUS ABB=ON PLU=ON L4

L11 21269 SEA FILE=CAPLUS ABB=ON PLU=ON CORROSION INHIBITORS+PFT/CT

L12 4 SEA FILE=CAPLUS ABB=ON PLU=ON L5 AND L11

=> s l10 or l12

L14 4 L10 OR L12

=> d ibib ed abs hitstr hitind l14 1-4

L14 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2004:700323 CAPLUS
 DOCUMENT NUMBER: 141:209796
 TITLE: Betaines and quaternary salts as corrosion
inhibitors and natural **gas**
hydrate inhibitors with improved
 water solubility and biodegradability
 INVENTOR(S): Dahlmann, Uwe; Feustel, Michael
 PATENT ASSIGNEE(S): Clariant GmbH, Germany
 SOURCE: Eur. Pat. Appl., 16 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|--|------|----------|------------------|------------|
| EP 1450004 | A1 | 20040825 | EP 2004-2387 | 20040204 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | | |
| DE 10307729 | B3 | 20040826 | DE 2003-10307729 | 20030224 |
| NO 2004000582 | A | 20040825 | NO 2004-582 | 20040209 |
| US 2004163306 | A1 | 20040826 | US 2004-783188 | 20040220 |
| PRIORITY APPLN. INFO.: | | | DE 2003-10307729 | A 20030224 |

OTHER SOURCE(S): MARPAT 141:209796

ED Entered STN: 27 Aug 2004

AB Natural **gas hydrate inhibitors** are compds.
 of general formula $R_1R_2R_3N^+-B-X-C(:O)-D-C(:O)-Y-R_4$, in which: (1) $R_1, R_2 =$
 C1-22-alkyl, C2-22-alkenyl, C6-30-aryl, or C7030-alkylaryl, (2) $R_3 =$
 C1-22-alkyl, C2-22-alkenyl, C6-30-aryl, or C7-30-alkylaryl, -CHR5-COO-, or
 -O-, (3) $R_4 =$ M, H, or C1-100-heteroatom-containing substituent (M is a
 cation), (4) B is optionally substituted C1-10-alkyl, (5) D = D =
 substituted or unsubstituted C1-600-heteroatom group, (6) X, Y =
 independently -O- or -NR6-, and (7) $R_5, R_6 =$ H, C1-22-alkyl, C2-22-alkenyl,
 C6-30-aryl, or C7-300-alkylaryl. The compds. are typically prepared by
 conversion of a corresponding alkenylsuccinic anhydride with a
 N,N-dialkylaminoalkanol (especially (N,N-dialkylamino)ethanolamine), to give
 the mono- or bisderiv., which is then quaternized. The compds. also have use
 as corrosion inhibitors.

IT 742087-35-0P 742096-64-6P 742096-67-9P

RL: MOA (Modifier or additive use); SPN (Synthetic preparation); PREP
 (Preparation); USES (Uses)
 (corrosion **inhibitor** and natural **gas**
hydrate inhibitor; betaine inner salts as corrosion
inhibitors and natural **gas hydrate**
inhibitors with improved water solubility and biodegradability)

RN 742087-35-0 CAPLUS


CN 3,6,9,12,15-Pentaoxaheptadecane-1,17-diaminium, N,N,N',N'-tetrabutyl-N,N'-
 dimethyl-4,14-dioxo-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 742087-34-9

CMF C30 H62 N2 O7

PAGE 1-A




PAGE 1-B




CM 2

CRN 14808-79-8

CMF 04 S



RN 742096-64-6 CAPLUS

 CN 1-Butanaminium, N-butyl-N-[2-[3-carboxy-1-oxo(tetrapropenyl)propoxy]ethyl]-
 N-methyl-, inner salt (9CI) (CA INDEX NAME)
D1- (C₁₂H₂₃)


RN 742096-67-9 CAPLUS

 CN 1-Butanaminium, N,N'-[[1,4-dioxo-2-(tetrapropenyl)-1,4-butanediyl]bis(oxy-
 2,1-ethanediyl)]bis[N-butyl-N-methyl-, sulfate (1:1) (9CI) (CA INDEX
 NAME)

CM 1


CRN 742096-66-8

CMF C38 H76 N2 O4
CCI IDS



CM 2

CRN 14808-79-8
CMF O4 S



- IC ICM E21B037-06
ICS C07C007-20
- CC 51-5 (Fossil Fuels, Derivatives, and Related Products)
- ST quaternized alkylaminoethanol alkenylsuccinate ester natural **gas hydrate inhibitor**; betaine inner salt natural **gas hydrate inhibitor**; butylaminoethanol quaternized alkenylsuccinate ester **gas hydrate inhibitor**
- IT Alcohols, uses
RL: MOA (Modifier or additive use); RCT (Reactant); RACT (Reactant or reagent); USES (Uses)
(amino, reaction products, N,N-dialkylamino derivs., reaction products with alkenylsuccinic anhydride; betaine inner salts as corrosion **inhibitors** and natural **gas hydrate inhibitors** with improved water solubility and biodegradability)
- IT **Corrosion inhibitors**
(betaine inner salts as corrosion **inhibitors** and natural **gas hydrate inhibitors** with improved water solubility and biodegradability)
- IT Inclusion reaction
(clathration, of natural gas, inhibitors for; betaine inner salts as corrosion **inhibitors** and natural **gas hydrate inhibitors** with improved water solubility and biodegradability)
- IT Natural **gas hydrates**
RL: FMU (Formation, unclassified); FORM (Formation, nonpreparative)
(formation of, **inhibitors** for; betaine inner salts as corrosion **inhibitors** and natural **gas hydrate inhibitors** with improved water solubility and biodegradability)
- IT 25189-83-7, Poly(vinylcaprolactam)
RL: MOA (Modifier or additive use); USES (Uses)
(corrosion **inhibitor** and natural **gas**

hydrate inhibitor; betaine inner salts as corrosion inhibitors and natural gas hydrate inhibitors with improved water solubility and biodegradability)

IT 742087-35-0P 742096-64-6P 742096-67-9P
 RL: MOA (Modifier or additive use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)
 (corrosion inhibitor and natural gas hydrate inhibitor; betaine inner salts as corrosion inhibitors and natural gas hydrate inhibitors with improved water solubility and biodegradability)

IT 742087-33-8P 742096-60-2P 742096-62-4P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (synthesis and quaternization of; betaine inner salts as corrosion inhibitors and natural gas hydrate inhibitors with improved water solubility and biodegradability)

L14 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:700322 CAPLUS
 DOCUMENT NUMBER: 141:209795
 TITLE: Betaine inner salts as corrosion inhibitors and natural gas hydrate inhibitors with improved water solubility and biodegradability
 INVENTOR(S): Dahlmann, Uwe; Feustel, Michael
 PATENT ASSIGNEE(S): Clariant GmbH, Germany
 SOURCE: Eur. Pat. Appl., 14 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|------------------|------------|
| EP 1450003 | A1 | 20040825 | EP 2004-2383 | 20040204 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | | |
| DE 10307728 | A1 | 20040909 | DE 2003-10307728 | 20030224 |
| DE 10307728 | B4 | 20050922 | | |
| NO 2004000583 | A | 20040825 | NO 2004-583 | 20040209 |
| US 2005101495 | A1 | 20050512 | US 2004-783153 | 20040220 |
| PRIORITY APPLN. INFO.: | | | DE 2003-10307728 | A 20030224 |

OTHER SOURCE(S): MARPAT 141:209795

ED Entered STN: 27 Aug 2004

AB Corrosion inhibitors and natural gas hydrate inhibitors are compds. of general formula $R_1R_2R_3N^+-B-X-C(:O)-D-C(:O)-Y-R_4$, in which: (1) R_1, R_2 = C1-22-alkyl, C2-22-alkenyl, C6-30-aryl, or C7030-alkylaryl, (2) R_3 = C1-22-alkyl, C2-22-alkenyl, C6-30-aryl, or C7-30-alkylaryl, -CHR5-COO-, or -O-, (3) R_4 = M, H, or C1-100-heteroatom-containing substituent (M is a cation), (4) B is optionally substituted C1-10-alkyl, (5) D = -CH2CH2 or C1-600-substituted ethylene group, (6) X, Y = -O- or -NR6-, and (7) R_5, R_6 = H, C1-22-alkyl, C2-22-alkenyl, C6-30-aryl, or C7-300-alkylaryl. The compds. are typically prepared by conversion of a corresponding alkenylsuccinic anhydride with a N,N-dialkylaminoalkanol (especially (N,N-dialkylamino)ethanolamine), to give the mono- or bisderiv., which is then quaternized.


IT 742096-64-6P 742096-65-7P 742096-67-9P
 742096-69-1P

RL: MOA (Modifier or additive use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(synthesis of, as corrosion **inhibitors** and natural **gas hydrate inhibitors**; betaine inner salts as corrosion **inhibitors** and natural **gas hydrate inhibitors** with improved water solubility and biodegradability)

RN 742096-64-6 CAPLUS


CN 1-Butanaminium, N-butyl-N-[2-[3-carboxy-1-oxo(tetrapropenyl)propoxy]ethyl]-N-methyl-, inner salt (9CI) (CA INDEX NAME)



D1- (C₁₂H₂₃)

RN 742096-65-7 CAPLUS

CN 1-Butanaminium, N-butyl-N-[2-[3-carboxy-1-oxo(pentapropenyl)propoxy]ethyl]-N-methyl-, inner salt (9CI) (CA INDEX NAME)



D1- (C₁₅H₂₉)

RN 742096-67-9 CAPLUS


CN 1-Butanaminium, N,N'-[[1,4-dioxo-2-(tetrapropenyl)-1,4-butanediyl]bis(oxy-2,1-ethanediyl)]bis[N-butyl-N-methyl-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 742096-66-8

CMF C38 H76 N2 O4


CCI IDS



CM 2

CRN 14808-79-8

CMF O4 S



RN 742096-69-1 CAPLUS


CN 1-Butanaminium, N,N'-[[1,4-dioxo-2-(pentapropenyl)-1,4-butanediyl]bis(oxy-2,1-ethanediyl)]bis[N-butyl-N-methyl-, sulfate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 742096-68-0

CMF C41 H82 N2 O4


CCI IDS



CM 2

CRN 14808-79-8

CMF O4 S



IC ICM E21B037-06

- ICS E21B041-02; C23F011-14; C10L003-06; C07C227-00; C07C229-02;
C07C233-00
- CC 51-5 (Fossil Fuels, Derivatives, and Related Products)
- ST quaternized alkylaminoethanol alkenylsuccinate ester corrosion inhibitor;
betaine inner salt natural **gas hydrate**
inhibitor; butylaminoethanol quaternized alkenylsuccinate ester
corrosion inhibitor
- IT Alcohols, uses
RL: MOA (Modifier or additive use); RCT (Reactant); RACT (Reactant or
reagent); USES (Uses)
(amino, reaction products, N,N-dialkylamino derivs., reaction products
with alkenylsuccinic anhydride; betaine inner salts; betaine inner
salts as corrosion **inhibitors** and natural **gas**
hydrate inhibitors with improved water solubility and
biodegradability)
- IT **Corrosion inhibitors**
(betaine inner salts as corrosion **inhibitors** and natural
gas hydrate inhibitors with improved water
solubility and biodegradability)
- IT Inclusion reaction
(clathration, of natural gas, inhibitors for; betaine inner salts as
corrosion **inhibitors** and natural **gas**
hydrate inhibitors with improved water solubility and
biodegradability)
- IT Natural **gas hydrates**
RL: MSC (Miscellaneous)
(formation of, **inhibitors** for; betaine inner salts as
corrosion **inhibitors** and natural **gas**
hydrate inhibitors with improved water solubility and
biodegradability)
- IT 742096-60-2P 742096-61-3P 742096-62-4P 742096-63-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(synthesis and quaternization of; betaine inner salts as corrosion
inhibitors and natural **gas hydrate**
inhibitors with improved water solubility and biodegradability)
- IT 110-15-6DP, Succinic acid, polyisobutenyl derivs., mono- and
bis(2-dibutylmethylammonio)ethyl esters, sulfates 742096-64-6P
742096-65-7P 742096-67-9P 742096-69-1P
RL: MOA (Modifier or additive use); SPN (Synthetic preparation); PREP
(Preparation); USES (Uses)
(synthesis of, as corrosion **inhibitors** and natural
gas hydrate inhibitors; betaine inner salts
as corrosion **inhibitors** and natural **gas**
hydrate inhibitors with improved water solubility and
biodegradability)

L14 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:282001 CAPLUS

DOCUMENT NUMBER: 141:57637

TITLE: Pyridine-phenolic resin corrosion inhibitor for
ferrous metals in subacid media

INVENTOR(S): Shelegov, B. V.; Fonberg, V. M.; Miroshnichenko, L.
E.; Grek, V. V.

PATENT ASSIGNEE(S): Ukraine

SOURCE: Russ., No pp. given
CODEN: RUXXE7


DOCUMENT TYPE: Patent

LANGUAGE: Russian

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|---|------|----------|-----------------|----------|
| | RU 2225461 | C2 | 20040310 | RU 2001-132126 | 20011126 |
| PRIORITY APPLN. INFO.: | | | | RU 2001-132126 | 20011126 |
| ED | Entered STN: 06 Apr 2004 | | | | |
| AB | The invention is suitable in the production of oil and gas for corrosion protection of pressure maintenance systems and utilization of waste water systems. The inhibitor contains mixture of coal pyridine bases and phenolic resin-byproduct of process of production of synthetic phenol by the Cumol method; monat. iso-alcs. C3-C5 (e.g., benzene-toluene-xylyl) are used as solvent. During mixing, many organic agents are formed in the form of strong-protective film on metal surface. The resulting inhibitor provides enhanced efficiency at min. concentration of inhibitor. | | | | |
| IT | 3810-71-7, D6 RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); TEM (Technical or engineered material use); PROC (Process); USES (Uses) (corrosion inhibitor; pyridine-phenolic resin corrosion inhibitor for ferrous metals in subacid media) | | | | |
| RN | 3810-71-7 CAPLUS | | | | |
| CN | Ethanaminium, 2,2'-[(1,8-dioxo-1,8-octanediyl)bis(oxy)]bis[N,N,N-trimethyl-, diiodide (9CI) (CA INDEX NAME) | | | | |



● 2 I⁻

IC ICM C23F011-04
ICS C23F011-14
CC 55-10 (Ferrous Metals and Alloys)
Section cross-reference(s): 51
IT **Corrosion inhibitors**
Corrosion prevention
(pyridine-phenolic resin corrosion inhibitor for ferrous metals in subacid media)
IT 3810-71-7, D6
RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); TEM (Technical or engineered material use); PROC (Process); USES (Uses)
(corrosion inhibitor; pyridine-phenolic resin corrosion inhibitor for ferrous metals in subacid media)

L14 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1975:606793 CAPLUS
DOCUMENT NUMBER: 83:206793
TITLE: Functional ionic polyelectrolyte compositions
INVENTOR(S): Schaper, Raymond J.
PATENT ASSIGNEE(S): Cagon Corp., USA
SOURCE: Ger. Offen., 45 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent

LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|------------------------|------|----------|-----------------|-------------|
| DE 2502914 | A1 | 19750731 | DE 1975-2502914 | 19750124 |
| DK 7406596 | A | 19750929 | DK 1974-6596 | 19741218 |
| SE 7500161 | A | 19750925 | SE 1975-161 | 19750108 |
| NL 7500325 | A | 19750729 | NL 1975-325 | 19750110 |
| CA 1057892 | A1 | 19790703 | CA 1975-217890 | 19750114 |
| GB 1479786 | A | 19770713 | GB 1975-2449 | 19750120 |
| FR 2320330 | A1 | 19770304 | FR 1975-1915 | 19750122 |
| FR 2320330 | B1 | 19790810 | | |
| CH 600039 | A | 19780615 | CH 1975-864 | 19750124 |
| JP 50107100 | A2 | 19750823 | JP 1975-10174 | 19750125 |
| US 4166894 | A | 19790904 | US 1977-852406 | 19771117 |
| PRIORITY APPLN. INFO.: | | | US 1974-436419 | A 19740125 |
| | | | US 1976-676777 | A3 19760414 |

ED Entered STN: 12 May 1984


AB Carboxamide-containing quaternary ammonium polymers were prepared by treating tetrasubstituted diamines from ethylenediamines and acrylamide (I) [79-06-1] or acrylamide-containing compds. with 1,4-dibromobutane (II). The polymers were useful as electroconducting coatings for paper, as strengthening agents for paper, and as corrosion inhibitors. Thus, 3,3',3'',3'''-(ethylenedinitrilo)tetrapropionamide (III) [4097-84-1], prepared via Michael addition reaction of NH₂CH₂CH₂NH₂ [107-15-3] with I, was refluxed with II at 95-100° for 136 hr to give II-III quaternary copolymer (III) [57350-68-2]. Paper coated with III had a surface resistance >1015 ohm (at 13% relative humidity) at coating weight 0.726 kg/279 m². III was also used as wet and dry strengthening agents for paper. The rate of corrosion of a metal electrode in an air and H₂O environment was 59 mg/cm²/day in the presence of 100 ppm III, in comparison to 90-5 mg/cm²/day in the absence of III.

IT **57350-69-3P**

RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and reaction of, with dibromobutane)

RN 57350-69-3 CAPLUS

CN 4,8,11,15-Tetraazaoctadecane-1,18-diaminium, 8,11-bis[3-[[1,1-dimethyl-3-(trimethylammonio)propyl]amino]-3-oxopropyl]-N,N,N,N',N',N',3,3,16,16-decamethyl-5,14-dioxo-, tetrachloride (9CI) (CA INDEX NAME)

 $\bullet_4 \text{ Cl}^-$


IT 57344-11-3P 57350-70-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and uses of)


RN 57344-11-3 CAPLUS

CN Poly[[bis[3-[[1,1-dimethyl-3-(trimethylammonio)propyl]amino]-3-oxopropyl]iminio]-1,2-ethanediyl[bis[3-[[1,1-dimethyl-3-(trimethylammonio)propyl]amino]-3-oxopropyl]iminio]-1,4-butanediyl dibromide tetrachloride] (9CI) (CA INDEX NAME)

PAGE 1-A


$$\bullet 2 \text{ Br}^-$$

PAGE 1-B




RN 57350-70-6 CAPLUS

CN 1-Butanaminium, 3,3',3'',3'''-[1,2-ethanediylbis[nitrilobis[(1-oxo-3,1-propanediyl)imino]]]tetrakis[N,N,N,3-tetramethyl-, tetrachloride, polymer with 1,4-dibromobutane (9CI) (CA INDEX NAME)

CM 1

CRN 57350-69-3

CMF C46 H100 N10 O4 . 4 Cl

● 4 Cl⁻

CM 2

CRN 110-52-1

CMF C4 H8 Br2

Br⁻ (CH₂)₄ Br

IC C07C; D21H

CC 35-3 (Synthetic High Polymers)
IT **Corrosion inhibitors**
(for metals, carboxamido-containing quaternary ammonium polymers as)
IT 4097-84-1P **57350-69-3P** 57356-17-9P
RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, with dibromobutane)
IT **57344-11-3P** 57344-12-4P 57344-13-5P 57350-68-2P
57350-70-6P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and uses of)

=> file caold; d que nos l13

FILE 'CAOLD' ENTERED AT 17:30:39 ON 02 JUN 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

L1 STR
L2 SCR 2040
L4 2675 SEA FILE=REGISTRY SSS FUL L1 AND L2
L13 275 SEA FILE=CAOLD ABB=ON PLU=ON L4

=> d his full

(FILE 'HOME' ENTERED AT 17:19:02 ON 02 JUN 2006)
D SAVED

FILE 'REGISTRY' ENTERED AT 17:19:18 ON 02 JUN 2006
ACTIVATE VAL188STR/Q

L1 STR

D L1
L*** DEL 1 S L1 SAMPLE
L2 SCREEN 2040
L3 10 SEA SSS SAM L1 AND L2
D SCAN
L4 2675 SEA SSS FUL L1 AND L2
SAVE L4 VAL188FU/A TEMP

FILE 'CAPLUS' ENTERED AT 17:21:59 ON 02 JUN 2006
L5 2863 SEA ABB=ON PLU=ON L4
L6 337 SEA ABB=ON PLU=ON GAS HYDRATE (3A) INHIBIT?
L7 2 SEA ABB=ON PLU=ON L5 AND L6
L8 28 SEA ABB=ON PLU=ON L5 AND PRY>2003
L9 462 SEA ABB=ON PLU=ON GAS? (3A) HYDRAT? (3A) INHIBIT?
L10 2 SEA ABB=ON PLU=ON L5 AND L9
D SCAN
E CORROSION INHIBITORS+ALL/CT
L11 21269 SEA ABB=ON PLU=ON CORROSION INHIBITORS+PFT/CT
L12 4 SEA ABB=ON PLU=ON L5 AND L11
L*** DEL 2 S L12 NOT L10
D SCAN

FILE 'CAOLD' ENTERED AT 17:27:01 ON 02 JUN 2006
L13 275 SEA ABB=ON PLU=ON L4
SAVE L13 VAL188CAO/A TEMP

FILE 'REGISTRY' ENTERED AT 17:29:24 ON 02 JUN 2006
D STAT QUE L4

FILE 'CAPLUS' ENTERED AT 17:29:39 ON 02 JUN 2006
D QUE NOS L10
D QUE NOS L12
L14 4 SEA ABB=ON PLU=ON L10 OR L12
D IBIB ED ABS HITSTR HITIND L14 1-4

FILE 'CAOLD' ENTERED AT 17:30:39 ON 02 JUN 2006
D QUE NOS L13

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3
DICTIONARY FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Jun 2006 VOL 144 ISS 24
FILE LAST UPDATED: 1 Jun 2006 (20060601/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

FILE CAOLD

FILE COVERS 1907-1966
FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for

10/783,188

Valenrod

more information.

=>